

EVALUATION

Rabbit ( 2 ):

ACCESSION NUMBER


90630


SPONSOR

Millbrook Breeding Farms

STUDIES CONDUCTED

HEAS-120-RAB: Comprehensive Health Assessment - Rabbit  
SERO-201-230: Core Panel - Rabbit

  
\_\_\_\_\_  
Steven M. Stiefel, DVM  
Sr. Scientist Pathology

  
\_\_\_\_\_  
Cynthia A. Smith  
Sr. Specialist, Administration

11/16/2009

\_\_\_\_\_  
Date

SUMMARY PAGE

Client:	<u>Millbrook Breeding Farms</u>	Accession No.	<u>90630</u>
Species:	<u>Rabbit ( 2 )</u>	Date Received:	<u>10/28/2009</u>
Group Designation:	<u></u>	Date Completed:	<u>11/16/2009</u>
Services Performed:	<u>HEAS-120-RAB - Comprehensive Health Assessment - Rabbit SERO-201-230 - Core Panel - Rabbit</u>		

INTRODUCTION

There were 2 adolescent, albino rabbits (1 male and 1 female) submitted for a Comprehensive Health Assessment. Serum samples were drawn from these rabbits at the time of necropsy for a Core Rabbit Serologic Profile.

RESULTS AND INTERPRETATION

The results of the Comprehensive Health Assessment are summarized in Table 1. Results of the evaluation of serum for the presence of viral antibodies are presented in Table 2. A complete description of all tests is provided in Table 3.

No rabbit pathogens in the viral, mycoplasmal, helminth, protozoan or arthropod groups were isolated or otherwise detected. The colony should be regarded as free of all other primary rabbit pathogens in the test profile and entirely suitable for any research protocol, including chronic studies in barrier facilities.

**TABLE 1**  
**DIAGNOSTIC SCREEN RESULTS**

Client: <u>Millbrook Breeding Farms</u>	Accession No. <u>90630</u>
Species: <u>Rabbit ( 2 )</u>	Date Received: <u>10/28/2009</u>
Group Designation: _____	Date Completed: <u>11/16/2009</u>

- 
- 1 ) Physical Examination: A group of adolescent, albino rabbits (1 male and 1 female) with a mean body weight = 1.66 kg were presented for diagnosis. The animals arrived in a filtered shipping carton and were clinically normal in terms of posture and activity. No discharges from the nares, conjunctiva or anus were noted. Euthanasia was conducted in a sterile polycarbonate plastic chamber prior to blood sample collection.
  
  - 2 ) Necropsy dissection:
 

NGL
NGL
  
  - 3 ) Fecal Flotation for Helminth Ova and Coccidia:
 

Negative
Negative
  
  - 4 ) Fecal culture:
 

No Salmonella, Klebsiella or Citrobacter
No Salmonella, Klebsiella or Citrobacter
  
  - 5 ) Direct cecum:
 

No Helminths
No Helminths
  
  - 6 ) Pathogenic Bacteria:
 

None
None
  
  - 7 ) Bordetella bronchiseptica:
 

Negative
Negative
  
  - 8 ) Middle ear exam:
 

No exudates
No exudates
  
  - 9 ) Pelage:
 

No arthropods
No arthropods
  
  - 10 ) Liver:
 

NML
NML
  
  - 11 ) Lung:
 

NML
NML
  
  - 12 ) Kidney:
 

NML
NML
  
  - 13 ) Ileum:
 

NML
NML

**TABLE 2**  
**SEROLOGY RESULTS**

Client: Millbrook Breeding Farms Accession No. 90630  
 Species: Rabbit ( 2 ) Date Received: 10/28/2009  
 Group Designation: \_\_\_\_\_ Date Completed: 11/16/2009

NOTE: Values and/or findings will be identified with a '\*' and footnoted with the Customer ID.

Target Organism	Test Method	Results	Findings
CAR Bacillus ( CARB )	ELISA	0/2	
Encephalitozoon cuniculi ( ECUN )	ELISA	0/2	
Pasteurella multocida ( PMUL )	IFA	0/2	
Treponema cuniculi ( TREP )	RPR	0/2	

<u>Client ID</u>	<u>ECUN Delta Values</u>	<u>Client ID</u>	<u>ECUN Delta Values</u>
	0.000		0.000

The Guidelines that follow can be used to assist with interpretation of results. ELISA optical density (O.D.) delta values (the difference in O.D. between the antigen and control wells for each serum) are directly proportional to the level of specific antibodies in the serum. Use the ranges in the table below to interpret the significance of reported results:

Delta values for clinical sera:

- a. high positive: 2.00-2.80
- b. moderate positive: 1.00-1.99
- c. low positive: 0.40-0.99
- d. negative: 0.00-0.39

TABLE 3  
TEST PANEL DESCRIPTIONS

COMPREHENSIVE HEALTH ASSESSMENT: The full range of clinical examinations, gross necropsy, microbiologic isolations and histopathology to isolate or otherwise detect the presence of the following microorganisms:

- |   |  |
|---|--|
| <p>(a) <u>Arthropod ectoparasites</u></p> <p>Psoroptes cuniculi (ear mite),<br/>Cheyletiella parasitovorax,<br/>Listrophorus gibbus</p> <p>(b) <u>Helminth endoparasites</u></p> <p>Passalurus ambiguus<br/>Taenia pisiformis</p> <p>(c) <u>Protozoans</u></p> <p>Eimeria stiedae (hepatic coccidiosis),<br/>Eimeria perforans, Eimeria irresiduum,<br/>and others (intestinal coccidiosis),<br/>Encephalitozoon cuniculi</p> | <p>(d) <u>Bacteria</u></p> <p>Pasteurella multocida,<br/>Pasteurella pneumotropica,<br/>Bordetella bronchiseptica,<br/>Treponema cuniculi,<br/>Clostridium piliformis</p> <p>(e) <u>Viruses</u></p> <p>Oral papilloma (wart) virus</p> |
|---|--|

Core Rabbit Serologic Profile: A battery of viral agents whose presence is detected by various tests for antibodies in serum. The presence of the virus in the colony may be inferred by (+) antibody findings.

Rabbit Panel  
( SERO-201-230 )

Virus Name

CARB  
ECUN  
PMUL  
TREP

CAR Bacillus  
Encephalitozoon cuniculi  
Pasteurella multocida  
Treponema cuniculi